

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	((host adj controller) same driver same bank same (queue with descriptor) same buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:04
L2	0	((host adj controller) same driver same bank same (queue with descriptor) same buffer) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:04
L3	1	((host adj controller) same driver same (queue with descriptor) same buffer) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:06
L4	1	((host with controller) same driver same (queue with descriptor) same buffer) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:06
L5	1	((host with controller) same driver same (queue same descriptor) same buffer) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:06
L6	1	((host with controller) same driver same (que\$4 same descriptor) same buffer) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:06
L7	0	((host with controller) same driver same (que\$4 same descriptor) same fifo) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:06
L8	1	((host with controller) same driver same (que\$4 same descriptor) same buffer\$4) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:07
L9	35	((host with controller) same driver same (que\$4 same descriptor) same memory) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:18

L10	28	((host with controller) same driver same (que\$4 same descriptor) same memory) and @ad<"20010629" and buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:07
L11	28	((host with controller) same driver same (que\$4 same descriptor) same memory) and @ad<"20010629" and buffer and (circ\$6 or link\$6 or chain\$4 or cycl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:08
L12	28	((host with controller) same driver same (que\$4 with descriptor) same memory) and @ad<"20010629" and buffer and (circ\$6 or link\$6 or chain\$4 or cycl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:17
L13	28	((host with controller) same driver same (que\$4 with descriptor) same memory) and @ad<"20010629" and buffer and (circ\$6 or link\$6 or chain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:09
L14	28	((host with controller) same driver same (que\$4 with descriptor) same memory) and @ad<"20010629" and buffer and (circ\$6 or link\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:09
L15	19	((host with controller) same driver same (que\$4 with descriptor) same memory) and @ad<"20010629" and buffer and (circ\$6 or link\$6) not intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:09
L17	84	(circ\$7 with link\$5 with descriptor) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:20
L18	4	(circularly with link\$5 with descriptor) and @ad<"20010629" not intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:32
L26	0	(ehci same descriptor same driver) not intel.as. and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:17
L27	0	(ehci same descriptor) not intel.as. and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:12

L28	8	(ehci) not intel.as. and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:12
L29	4	(ehci same (host adj controller)) not intel.as. and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:34
L30	281	(buffer with incremen\$4 with order) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:20
L31	10	(buffer with (incremented adj order)) and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:17
L32	10	(buffer with (incremented adj order)) and @ad<"20010629" not intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:37
L33	0	(buffer with (incremented with organized with order)) and @ad<"20010629" not intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:37
L34	0	(buffer with (incremented with organi\$6 with order)) and @ad<"20010629" not intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:37
L35	0	(buffer with (increment\$4 with organi\$6 with order)) and @ad<"20010629" not intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:37
L36	23	(buffer with (increment\$4 with organi\$6)) and @ad<"20010629" not intel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 14:37
L37	0	((host with controller) same driver same (que\$4 same descriptor) same memory) and letee.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:17

L38	0	((host with controller) same driver same (que\$4 with descriptor) same memory) and lettee.in. and buffer and (circ\$6 or link\$6 or chain\$4 or cycl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:17
L39	0	(ehci same descriptor same driver) not intel.as. and lettee.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:17
L40	0	(buffer with incremen\$4 with order) and @ad<"20010629" and lettee.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:17
L41	0	(buffer with (incremented adj order)) and lettee.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:17
L42	7	((host with controller) same driver same (que\$4 same descriptor) same memory) and @ad<"20010629" and (710/5.ccls. or 710/33.ccls. or 710/52.ccls. or 710/54.ccls. or 712/405.ccls. or 709/234.ccls. or 711/118.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:19
L43	9	(circ\$7 with link\$5 with descriptor) and @ad<"20010629" and (710/5.ccls. or 710/33.ccls. or 710/52.ccls. or 710/54.ccls. or 712/405.ccls. or 709/234.ccls. or 711/118.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:20
L44	1	(circ\$7 with link\$5 with descriptor).clm. and (710/5.ccls. or 710/33.ccls. or 710/52.ccls. or 710/54.ccls. or 712/405.ccls. or 709/234.ccls. or 711/118.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:20
L45	11	(buffer with incremen\$4 with order) and @ad<"20010629" and (710/5.ccls. or 710/33.ccls. or 710/52.ccls. or 710/54.ccls. or 712/405.ccls. or 709/234.ccls. or 711/118.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:20
L46	3	(buffer with incremen\$4 with order).clm. and @ad<"20010629" and (710/5.ccls. or 710/33.ccls. or 710/52.ccls. or 710/54.ccls. or 712/405.ccls. or 709/234.ccls. or 711/118.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 15:20